

Certificate of Product Approval

Certificate Number: 1045b

Issue: 02

Warrior Doors Limited

Unit 4
Kings Road Industrial Estate
Tyseley
Birmingham
B11 2AX

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Products

Warrior Screen

secure partitioning system

Standard

LPS 1175: Issue 7

Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for LPCB

Paul Dillon
Verifier

07 July 2016
Date of Issue

10 December 2015
Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

LPCB is part of BRE Global Ltd, Garston, Watford, WD25 9XX
T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: enquiries@breglobal.com



Appendix to Certificate No: 1045b Warrior Doors Limited

Issue: 02

Modular Security Screen

Product Name	Product Type	Minimum Height (m)	Maximum Height (m)	Minimum Width (m)	Maximum Width (m)	Minimum Depth (m)	Maximum Depth (m)	Security Rating	LPCB Ref. No.
Warrior Screen	Partition formed from wall panels supported by existing adjacent walls ¹	0.364 ²	6.20	0.364 ³	Unlimited	N/A	N/A	4	1045b/01
	Partition formed from wall and ceiling panels supported by existing adjacent walls ¹	0.364 ⁴	6.20	0.364 ³	Unlimited	0.364 ³	Unlimited	4	
	Ceiling formed from ceiling panels	N/A	N/A	0.364	Unlimited	0.364	Unlimited	4	

System Components

Component	Type	Minimum Height (m)	Maximum Height (m)	Minimum Width (m)	Maximum Width (m)	Minimum Length (m)	Maximum Length (m)
Wall panels	Wall panel	0.364	6.2	0.364	Unlimited	N/A	N/A
Ceiling panel	Ceiling panel	N/A	N/A	0.364	1.722	0.364	3.222
Support post	Support post for walling system ¹	0.364	6.2	0.10	0.10	N/A	N/A
Corner post	Corner post for walling system ¹	0.364	6.2	0.10	0.10	N/A	N/A
Doorsets	Single leaf outward or inward opening hinged steel doorset	Refer to Warrior 4SP-SL, 4-SL, and 4-SLi doorset (LPCB Ref. No. 1045a) for scope of approval ⁵ .					
	Double leaf outward opening hinged steel doorset	Refer to Warrior 4-DD doorset (LPCB Ref. No. 1045a) for scope of approval ⁵ .					

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for LPCB

Paul Dillon
Verifier

07 July 2016
Date of Issue

10 December 2015
Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX.

T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com




Appendix to Certificate No: 1045b Warrior Doors Limited

Issue: 02

Compatible Infills^{6,7}

Infill	Warrior Screen
6 mm Stainless Steel	✓
4 mm Stainless Steel / 3 mm Stainless Steel	✓
6 mm Manganese	✓
8 mm Manganese	✓
Louvre Panels	✓
ESG 'LPS1270 224/40' Glazing	✓
ESG 'LPS1270 234/40' Glazing	✓
Hamilton Erskine TSG SC40 BR4NS	✓
Hamilton Erskine 'H&E Hand Glass' Glazing	✓

Notes:

1. The modular security screen can either be constructed as a straight walling system or incorporate 90° or 270° angles in the wall line. This angle is measured between the attack faces of the two adjacent panels.
2. The minimum height of partitioning systems incorporating doorsets is 1.8 m.
3. The minimum width or depth of a wall incorporating a doorset is 0.7 m.
4. The minimum height of partitioning systems formed with a ceiling and incorporating doorsets is 1.9 m.
5. Doorsets are not designed to be fitted within the ceiling.
6. When the partitioning system being constructed does not incorporate a doorset, the scope of approval covers the use of different infill types in both the upper and lower panels.
7. When the partitioning system being constructed incorporates a doorset, the scope of approval covers the use of the same infill in both the upper and lower panels. That infill shall match that used in the compatible doorset incorporated into the system.
8. The partitioning system's resistance relies on the supporting substrate offering compatible resistance to manual attack.

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for LPCB

Paul Dillon
Verifier

07 July 2016
Date of Issue

10 December 2015
Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX.

T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com


