

Certificate of Product Approval

Certificate Number: 1045d

Issue: 01

Warrior Doors Limited

Unit 4
Kings Road Industrial Estate
Tyseley
Birmingham
B11 2AX

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Products

Warrior B-SL
Warrior B-SLi
Warrior CB-SLi
hinged security doorsets

Standard

LPS 2081: Issue 1
Requirements and testing procedures for the LPCB approval and listing of building components, strongpoints, security enclosures and free-standing barriers offering resistance to intruders attempting to use stealth to gain entry

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for LPCB

Paul Dillon
Verifier

27 April 2017
Date of Issue

27 April 2017
Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

LPCB is part of BRE Global Ltd, Garston, Watford, WD25 9XX
T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: enquiries@breglobal.com



bre

Appendix to Certificate No: 1045d Warrior Doors Limited

Issue: 01

Hinged Security Doorsets

Product Name	Type	Minimum Structural Opening Height (m)	Maximum Structural Opening Height (m)	Minimum Structural Opening Width (m)	Maximum Structural Opening Width (m)	Security Rating	LPCB Ref. No.
Warrior B-SL	Single leaf outward opening hinged glazed doorset	1.8	2.5	0.6	1.322	B	1045d/01
Warrior B-SLi	Single leaf inward opening hinged glazed doorset	1.8	2.5	0.6	1.322	B	1045d/02
Warrior CB-SLi	Single leaf inward or outward opening hinged glazed doorset incorporating side screens and/or overpanels ^{1,2}	1.9	3.5	0.85	6.222	B	1045d/03

Approved Locking Configurations

LPCB Ref. No.	Product Name	Type	Compatible Locking Systems
1045d/01	Warrior B-SL	Single leaf outward opening hinged glazed doorset	1, 2, 3 or 4
1045d/02	Warrior B-SLi	Single leaf inward opening hinged glazed doorset	1, 2, 3 or 4
1045d/03	Warrior CB-SLi	Single leaf inward or outward opening hinged glazed doorset incorporating side screens and/or an overpanel	1, 2, 3 or 4

Compatible Locking Systems³

Compatible Locking System	Manufacturer	Model	Type	Quantity	External Face	Internal Face	Compatible Cylinders
1	GEM	EM10000 (Unmonitored) or EM10000R (Monitored)	Electromagnetic lock	Two	Access control system	Push button release or access control system	N/A
	Alpro	EMS1200	Electromagnetic lock	Two			

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for LPCB

Paul Dillon
Verifier

27 April 2017
Date of Issue

27 April 2017
Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX.

T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com




Appendix to Certificate No: 1045d Warrior Doors Limited

Issue: 01

Compatible Locking System	Manufacturer	Model	Type	Quantity	External Face	Internal Face	Compatible Cylinders
2	GEM	EM10000 (Unmonitored) or EM10000R (Monitored)	Electromagnetic lock	Two	Access control system	Push button release or access control system	N/A
	Alpro	EMS1200	Electromagnetic lock	One			
3	Alpro	EMS1200	Electromagnetic lock	One	Access control system	Push button release or access control system	N/A
4	Trimec	ES8000	Single-point electrically operated lock	One	Access control system	Push button release or access control system	N/A

Optional design features/accessories⁴

Accessory	Description
Steel infill panels	Steel infill panels can replace one or more glazed infills.

Notes:

1. The sizes of door leaf approved in this configuration fall within the size range for the single leaf doorsets, i.e. those without side or over panels.
2. Side screens can be located either side or on both sides of the door leaf.
3. The resistance of the access control locks to "non-mechanical" attack has not been assessed as it is outside the scope of LPS 2081. Likewise, the approval does not cover possible effects of any susceptibilities relating to the functionality and performance of any access control equipment that may be used to operate these locking systems. This is because the scope of access control devices and system configurations that may be used with these locking systems is "infinite". It is therefore recommended that specifiers satisfy themselves that the components are either resistant to mechanical and other forms of tampering/abuse, or that they are suitably protected from such tampering/abuse and are resistant to any environmental conditions/interference that may cause the locking system to disengage.
4. Certification does not cover the use of any options that are not listed. Utilisation of any other options may affect the level of security offered by the doorset.

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for LPCB

Paul Dillon
Verifier

27 April 2017
Date of Issue

27 April 2017
Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX.
T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com

